

Thixo Agent for Condensation Silicone - Technical data sheet

1. Description

Raw material used to obtain Thixotropic poly condensation (RTV 2) silicone.

2. Main Field of application.

- **Industrial Field**
-

3. Important

Dosage: **From 2 % until a maximum of 4% in weight.**

Please normally mix the BASE component + 5% of curing agent, mix them carefully till to obtain a homogeneous colour. Then add the % of thixo agent. The choice of the % is in accordance with the final result the customer want to obtain (silicone more or less thixo). Mix carefully all together. Apply the silicone.

3.1 Use

Normally use the silicone.

4. Packaging

<i>Zhermack Code</i>	<i>Confezioni</i>
DT00673	250 g

5. Schede di sicurezza

Before to use it, please check the MSDS to be sure to obtain the correct results.

6. Conservazione

The Thixo Agent for condensation is guarantee for a period of 36 months if stored correctly at a temperature of between 5° - 27°C (41° - 80°F).

IMPORTANT OBSERVATIONS

The advice given verbally, in writing or through demonstrations on the use of the products are based on our knowledge. The use and application of the product by the user lie beyond the control of the company and are therefore the user's own responsibility.

Zhermack S.p.A.

Via Bovazecchino, 100
45021 Badia Polesine (RO) Italy
T +39 0425 597611 | F +39 0425 53596
www.zhermack.com | info@zhermack.com

C.F. e P.IVA IT00594630295
R.E.A. 86603 - R.I. RO 00594630295
M. RO 001381 - Isc. Reg. A.E.E. IT07111000002
Cap. Soc. € 1.032.000,00